




PROJ. 
DOS/005 REFERS


DO NOT SCALE

CAD ORIGINAL DO NOT ALTER BY HAND



TYPE	DIM 'A'	DIM 'B'	DIM 'C'	FLOW RANGE
FDR 2/2	42.6	150.9	170.9	3-12 L/MIN
FDR 2/4	49.3	164.3	184.3	6-24 L/MIN
FDR 2/6	56.0	177.6	197.6	9-36 L/MIN
FDR 2/9	66.0	197.7	217.7	13-54 L/MIN

NOTE - MOUNTING POSITION (DIM 'B')
±0.4 DUE TO COMPONENT TOLERANCES



REV.	ZONE	ALTERATION	SIG. & DATE	CAT.

GEOMETRIC TOLERANCE SYMBOLS REF. B.S. 308 : PART 3 : 1990				MATERIAL
STRAIGHTNESS	—	PARALLELISM	//	SPEC.
FLATNESS	▭	SQUARENESS	⊥	TREATMENT
ROUNDNESS	○	ANGULARITY	∠	HARDNESS
CYLINDRICITY	⊘	RUN OUT	↗	FINISH
PROF. OF A LINE	⌒	POSITION	⊕	CLASS
PROF. OF A SURF.	⌒	CONCENTRICITY	◎	PATT.

IDENTITY ZONE	TEXT	
DIMENSIONS IN MM & INCHES	SCALE 1:1	DATE
SURF. TEXT IN ROUGHNESS NOS.	DR 'N. EPB	30-Sep-02
TOLERANCE UNLESS STATED	CH'D.	PROJ./TYPE/SERIAL NO. FDR
DIMENSIONAL ±	TITLE	
ANGULAR	2 WAY FLOW DIVIDER ASSEMBLY	
THREAD TOLERANCE CLASS 6H/6g	SIM. TO	
SIM. TO	PLS	
© SLACK & PARR LTD. 2002 THE DESIGN AND INFORMATION CONTAINED IN THIS DRAWING IS STRICTLY CONFIDENTIAL AND IS THE EXCLUSIVE PROPERTY OF SLACK & PARR LIMITED AND MUST NOT BE USED, COPIED OR REPRODUCED IN PART OR WHOLE WITHOUT WRITTEN PERMISSION FROM SLACK & PARR LIMITED		
SHEET 1 OF 2	DRG. NO. HB830155	REVISION